| Application No. | Applicant(s) | |
|---|---|--|
| 10/686,146 | NOLAN, VICKI S. | |
| Examiner | Art Unit | |
| Huy K. Mai | 2873 | |
| (OR REMAINS) CLOSED or other appropriate comm IGHTS. This application is and MPEP 1308. | n this application. If not included unication will be mailed in due course. | THIS initiative |
| filed Oct. 15, 2003. | • | |
| | | |
| e Examiner. | | |
| e been received. e been received in Applicati cuments have been receive | on No ed in this national stage application fron | |
| | | OF |
| 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| 6. ☐ Interview 8 Paper No 98), 7. ☐ Examiner's 8. ☑ Examiner's | Summary (PTO-413), /Mail Date s Amendment/Comment s Statement of Reasons for Allowance | |
| | 10/686,146 Examiner Huy K. Mai Pars on the cover sheet w (OR REMAINS) CLOSED is or other appropriate common of the cover sheet w (OR REMAINS) CLOSED is or other appropriate common of the sheet of the cover sheet w (OR REMAINS) CLOSED is or other appropriate common of the common of the cover sheet w (OR REMAINS) CLOSED is or other appropriate common of the cover sheet w (OR REMAINS) CLOSED is or other appropriate common of the cover sheet w (OR REMAINS) CLOSED is or other appropriate common of the cover sheet w (OR REMAINS) CLOSED is or other appropriate common of the cover sheet w (OR REMAINS) CLOSED is or other appropriate common of the cover sheet w (OR REMAINS) CLOSED is or other appropriate common of the cover sheet w (OR REMAINS) CLOSED is or other appropriate common | 10/686,146 Examiner Huy K. Mai 2873 Pars on the cover sheet with the correspondence address-(OR REMAINS) CLOSED in this application. If not included or other appropriate communication will be mailed in due course. (GHTS. This application is subject to withdrawal from issue at the land MPEP 1308. If filed Oct. 15, 2003. Be Examiner. Inder 35 U.S.C. § 119(a)-(d) or (f). Be been received. Be been received in Application No Cuments have been received in this national stage application from this communication to file a reply complying with the requirement of this application. Inder 35 U.S.C. § 119(a)-(d) or (f). Be been received in Application No Cuments have been received in this national stage application from this communication to file a reply complying with the requirement of this application. Inder 35 U.S.C. § 119(a)-(d) or (f). Be been received in Application No Cuments have been received in this national stage application from the samplication. Index of this communication to file a reply complying with the requirement of this application. Index of this application from the declaration is deficient. Index of this application from the United Section of the samplication of the samplication of the header according to 37 CFR 1.121(d). Section 1.121(d). Section 1.121(d). Section 1.121(d). Index of Informal Patent Application (PTO-152) Interview Summary (PTO-413), Paper No./Mail Date |

Application/Control Number: 10/686,146

Art Unit: 2873

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance. The prior art fails to teach a combination of all the limitations as claimed in the independent claim 1, wherein the claimed invention comprising a floatation device for eyeglasses having temples with a straight portion and a curved ear portion, said device having a body formed of a resilient, soft floatation material, said body having a longitudinal passage through which the temple can be threaded for resiliently gripping the straight portion of the temple, said passageway being substantially off centerline of the body whereby a minor portion of the body is on an inboard side of the temple and a major portion of the body is on an outboard side of the temple, as claimed. The prior art does not disclose or fairly suggest, by themselves or in combining with any other reference, to meet a combination of all the limitations as claimed in claims 1,4. Therefore claims 1-10 could be allowable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Huy K. Mai whose telephone number is (571) 272-2334. The examiner can normally be reached on M-F (8:00-4:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Y. Epps can be reached on (571) 272-2328. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Application/Control Number: 10/686,146

Art Unit: 2873

Page 3

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-1562.

HKM/

November 23, 2004

Huy Mai

Primary Examiner